896-0001 CHROMA-CHEM® TITANIUM WHITE

Specification: 000000139553 Revision Date: 09-20-2019



1. Identification

Product identifier 896-0001 CHROMA-CHEM® TITANIUM WHITE **ATW**

ATW

Other means of identification

SAP Specification 000000139553

Recommended use Aqueous industrial colorant

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Chromaflo Technologies Corporation Company

2600 Michigan Avenue

Ashtabula, OH, USA 44005-0816

Chromaflo Technologies Canada **Canadian facility**

235 Orenda Road

Brampton, Ontario, Canada L6T-1E6

US telephone 440-997-5137 Canadian telephone 905-451-3810

NA: EMERGENCY # (3E) 866-519-4752 GLOBAL: EMERG. # (3E) (+1) 760-476-3962

3E CONTRACT # 12154 334294 **3E ACCESS CODE**

613-996-6666 **CANADA: CANUTEC**

EMERGENCY NUMBER

Product Regulatory ehs americas@chromaflo.com

Services

Supplier Not available.

2. Hazard identification

Not classified. **Physical hazards**

Health hazards Reproductive toxicity (the unborn child) Category 2

Label elements

Signal word Warning

Hazard statement Suspected of damaging the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention. Response

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known. Distributed by:

Version Number: 04



2 Lansing Square Toronto, Ont. M2J 4P8 416-496-0128

Material name: 896-0001 CHROMA-CHEM® TITANIUM WHITE ATW SDS CANADA 1/7 If product is in liquid or paste form, hazards related to dust are not considered significant. But product may contain substances that could be potential hazards if caused to become airborne due to abrasive processes.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Titanium dioxide		13463-67-7	60 - 100
Diethylene Glycol Monomethyl Ether		111-77-3	3 - 7
Other components below reportable	e levels		15 - 40

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed **General information** Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions Specific methods

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Material name: 896-0001 CHROMA-CHEM® TITANIUM WHITE 000000139553 Version #: 04 Revision date: 09-20-2019 Issue date: 04-10-2017

7. Handling and storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Lin Components	Type	Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Alberta OELs (Oc Components	ccupational Health & Safety Code, Sche	edule 1, Table 2) Value	
	Туре		
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. British Columbia Safety Regulation 296/97,	OELs. (Occupational Exposure Limits as amended)	for Chemical Substances, C	Occupational Health and
Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
	Reg. 217/2006, The Workplace Safety A		
Components	Туре	Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
	control of Exposure to Biological or Che	emical Agents)	
Components	Туре	Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
	linistry of Labor - Regulation respectin	-	- ·
Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.
	ELs (Occupational Health and Safety R	-	
Components	Туре	Value	
Titanium dioxide (CAS 13463-67-7)	15 minute	20 mg/m3	
	8 hour	10 mg/m3	
ogical limit values	No biological exposure limits noted fo	r the ingredient(s).	
ropriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
vidual protection measure	es, such as personal protective equipme	ent	
Eye/face protection	Chemical respirator with organic vapo	or cartridge and full facepiece.	
Skin protection			
Hand protection	Wear appropriate chemical resistant of	gloves.	
Other	Use of an impervious apron is recommended.		
	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to vapor/mist at levels		

Material name: 896-0001 CHROMA-CHEM® TITANIUM WHITE 000000139553 Version #: 04 Revision date: 09-20-2019 Issue date: 04-10-2017

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Liquid. paste

Color White

Odor Mild acrylic odor.
Odor threshold Not available.
pH 8 - 9.5

Melting point/freezing point Not available.

Initial boiling point and boiling > 212 °F (> 100 °C)

mitial boiling point and boiling

range

(--- - /

Flash point > 205.00 °F (> 96.11 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 2.1

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

Due to partial or complete lack of data the classification is not possible.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Titanium dioxide (CAS 13463-67-7)

Irritant

Respiratory sensitization

Skin sensitization

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

ACGIH Carcinogens

Titanium dioxide (CAS 13463-67-7)

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Titanium dioxide (CAS 13463-67-7)

Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicity Suspected of damaging the unborn child.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results 896-0001 CHROMA-CHEM® TITANIUM WHITE **ATW Aquatic** EC50 Crustacea Daphnia 1431.6467 mg/l, 48 hours estimated Fish LC50 Fish 1415.0259 ma/l. 96 hours estimated Components **Test Results Species** Diethylene Glycol Monomethyl Ether (CAS 111-77-3) Aquatic Fish LC50 Bluegill (Lepomis macrochirus) 7500 mg/l, 96 hours Titanium dioxide (CAS 13463-67-7) **Aquatic** Crustacea EC50 > 1000 mg/l, 48 hours Water flea (Daphnia magna) Fish LC50 Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil No data available.

Material name: 896-0001 CHROMA-CHEM® TITANIUM WHITE ATW 000000139553 Version #: 04 Revision date: 09-20-2019 Issue date: 04-10-2017

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

Country(s) or region Inventory name On inventory (yes/no)* Europe European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes Taiwan Toxic Chemicals Substances Control Act No

16. Other information

 Issue date
 04-10-2017

 Revision date
 09-20-2019

Version # 04

Disclaimer The information contained herein is based on data believed to be reliable and the manufacturer

disclaims any liability incurred from the use or reliance upon the same. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety information is not a license to use this material as claimed by any patents of third parties. The user alone must finally determine whether a contemplated use of this material will infringe any such patents, and for

obtaining any required licenses.

Revision information Product and Company Identification: Product and Company Identification

Physical & Chemical Properties: Multiple Properties

Other information: Disclaimer

HazReg Data: International Inventories

Material name: 896-0001 CHROMA-CHEM® TITANIUM WHITE ATW 000000139553 Version #: 04 Revision date: 09-20-2019 Issue date: 04-10-2017

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).